CZECHOSLOVAKIA/Chemical Technology - Chemical Products and
Their Application, Chemical Processes and Process
Equipment.

Abs Jour : Ref Zhur - Khimiya, No 9, 1958, 29065

Author : Chrastina, J.

Title : Drying Process Calculations.

Orig Pub : Strojirenstvi, 7, 677-679 (1957) (in Czech with summa-

ries in German, English, and Russian)

Abstract : A method for carrying out drying process calculations

is presented and illustrated with numerical examples. In the latter the calculation is applied to a tunnel-

type kiln with partial hot-air recirculation.

Card 1/1

CHRASTINA, Jan (Brno, Kotlarska 2)

Coincidence of basic central dispersions of the 3rd and 4th order of the differential equation $\ddot{y}(t)+Q(t)y(t)=6$. Cas propes mat 87 no.2:188-197 '62.

1. Prirodovedecka fakulta university J.E. Purkyne.

CHRASTINA, Z.

Improvement in the service of supplying materials for construction achieved on the basis of the calculation to production, p. 303, POZEMNI STAVBY, (Ministerstvo stavebnictvi) Praha, Vol. 3, No. 8, Aug. 1955

SOURCE: East European Accessions List (EEAL) Library of Congress, Vol. 4, No. 12, December 1956

FIALA, Jaroslav, MUDr.; VLCKOVA, Milena, MUDr.; Technicka spoluprace: CHRASTOVA, Zdena; KROMBHOLCOVA, Jitka.

Use of heparin as an anticoagulant in blood preservation. Vnitrni lek. 11 no.8:742-749 Ag 165.

1. Ustav hematologie a krevni transfuze v Praze (reditel prof. Dr. J. Horejsi, Dr.Sc., clen korespondent Ceskoslovenske akademie ved).

CHRASZCZEWSKA, A.; Milewska, Z.; Pizon, S.

C-naphthylamide of 3-aminobenzenesulfonic acid. p. 63

ACTA CHIMICA. (Lodzkie Towarzystwo Naukowe. Wydzial III: Nauk Matematyczno-Przyrodniczych) Lodz, Poland. Vol. 3, 1958

Monthly List of E_a st European Accessions (EFAI) LC, VOL. 8, no. 7, July 1959 Uncl.

CHRBOLKA, Jaroslav; BENES, Vaclav, doc. MUDr.

Problems of evaluating model enterprises. Prace mzda 12 no.12: 551-557 D '64.

1. Faculty of Medicine and Hygiene of the Charles University,
Prague (for Benes). 2. State Research Institute of Economics and
Organization of the Ministry of Social Welfare, Prague (for Chrbolka).

CHRBOLKA, Jaroslav; HANUS, Vaclav

Advantages and shortcomings of flow production. Podn org 18 no. 3:106-111 Mr '64.

- 1. Institute of State Economic and Organizational Research Institute of the Consumer Goods Industry (for Chrbolka).
- 2. Higher School of Economics, Prague (for Haunus).

KUTATELADZE, K.S., doktor tekhn.nauk; TANDILOVA, K.B., and.tekhn.nauk; SOSELIYA, L.D., inzh.; DZHADZHANASHVILI, O.S., inzh.; CHRDILELI, O.G., inzh.

Increasing the activity of clinkers. TSement 30 no. 2:7-8 Mr-Ap 164. (MIRA 17:5)

1. Gosudarstvennyy nauchno-issledovatel'skiy institut stroitel'-nykh materialov, Tbilisi, i Rustavskiy tsementnyy zavod.

BOGOLYUBSKIY, V.A.; CHRECHKO, L.V.

Formation of light blue dyes in color films containing alkyl hydroquinones. Zhur.nauch.i prikl.fot.i kin. 7 no.6:461-462 N-D *62. (MIRA 15:12)


l. Filial Vsesoyuznogo nauchno-issledovatel'skogo kinofotoinstituta, Shostka.

(Color photography--Films)

(Hydroquinone)

"APPROVED FOR RELEASE: 06/12/2000

CIA-RDP86-00513R000509010015-0



CHRELASHVILI, A. G.

CHRELASHVILI, A. G. -- "Some Electrical Properties of Polycrystalline Ceramic Materials Based on Titanium Dioxide." Tbilisi State U imeni I. V. Stalin. Tbilisi, 1955. (Dissertation for the Degree of Candidate of Physicomathematical Sciences.)

SO: Knizhnaya Letopis', No 5, Moscow, Feb 1956

CHRELASIVILI, TI. II.

"Relation of Photosynthesis in Light and Darkness to the degree of Dehydration of the Assimilating Tissues," Exptl. Botan., No. 5, Trudy Botani. Inst. Acad. Sci. USSR, Ser. 4, 88-100, 1941 (Chem. Abs. vol. 38, an 20 1944.)

When somewhat dehydrated the tissues show an intensified photosynthetic activity at intense lighting. With considerable dehydration photosynthetic activity is lowered at a high or low light intensity. Respiration decreases with dehydration in ceratophyllum demersum and Alodea canadensis and increases in Citrum limonum. KCN lowers the intensity of leaves of lemons.

KEZELI, T.A.; CHRELASHVILI, M.N.

Ascorbic acid and catatalase in rhododendron leaves in connection with vertical zonality. Soob.AN Gruz.SSR 8 no.6:413-418 '47.

1.Akademiya nauk Gruzinskoy SSR, Botanicheskiy institut, Tbilisi. Predstavleno deystvitel'nym chlenom Akademii V.Z.Gulisashvili.

CHRELASHVILL M.N.; KEZELI, T.A.

Seme biechemical changes in plant leaves affected by chleresis. Seeb. AN Gruz. SSR 9 ne.3:185-190 48. (MLRA 9:7)

l.Akademiya mauk Gruzinskey SSR, Betamicheskiy institut, Tbilisi. Predstavlene deystvitel'nym chlemem akademii V.Z.Gulisashvili. (Georgia--Grapes--Diseases and pests)(Chleresis (Plants))

CHRELASHVILI, N. W.

"Localization of Changes Occurring in Plants Afflicted by Chlorosis," Dokl. Ak. Bauk SSSR, 66, Bo. 5, 1949.


Botanical Inst. im V. L. Komarov, Acad. Sci. USSR

MAKAREVSKAYA, Ye.A.; CHRELASHVILI, M.N.; MIKELADZE, E.G.

Reaction of stock vines 5bb and 3309 to the absence of some elements of mineral nutrition. Trudy Tbil.bot.inst. no.16:101-130 '54.

(Plants, Effect of minerals on) (Viticulture)

(MIRA 8:11)



Chrelishvili, M.N.

Sulakadza T S and Chr

20-3-45/52

AUTHURS:

Sulakadze, T. S., and Chrelashvili, M. N.

TITLE:

Variation of Pigment Content and Composition of the Pigments in the Foliage of Lemon- and Orange Plants, as Connected with Trench Cultivation (Izmeneniye soderzhaniya i sostava pigmentov v list'yakh limona i apel'sina v svyazi s ikh kul'turoy v transheye)

PERIODICAL:

Doklady AN SSSR, 1957, Vol.417, Nr 3, pp. 519-522 (USSR)

ABSTRACT:

The experiments with lemon- and orange plants showed, that they have well endured a four-months sojourn in a trench in darkness and that their leaves have not lost the normal green coloring. But one cannot help thinking that being kept in a trench must have some effect upon the composition of the pigments. The authors studied the change of the composition of the phytrochromes in the leaves during the plants' wintering in a trench. The experiments took three years. The authors studied the dynamics of the pigments by aid of the colorimetric method and the process of the photosynthesis according to the accumulation of the organic carbon (Ref. 1 and 2). The results are recorded on tables 1 - 4. A comparison of plants having wintered in the open air and of plants having wintered in a trench showed that

Card 1/3

The second secon

Variation of Pigment Content and Composition of the Pigments in the Foliage of Lemon- and Orange Plants, as Connected with Trench Cultivation

20-3-45/52

the content of chlorophyll was much less in the first, which proves that the chlorophyll is quicker destroyed during a winter spent under normal conditions. The correlations of the yellow pigments (Xantophyll - an oxyde derivative of the caroxtin) tempted the authors to assume a reverse relation (Tab. 2). If the content of carotin increased the xantophyll decreased and vice versa. The darkening effected an increase of the carotin. This seems to be connected with the decrease of the oxydative-reductive processes in the cells with the plants growing in a trench. The decrease of the yellow pigments apparently is a specific property of the citrusplant. The observations showed that seedlings of the lemons, oranges and grapefruit developed an intensive lifeactivity during the wintering in a trench (at 0 - 50). The active-functional state of the protoplasm is a biological characteristic of the citrusplants; to suppress it, is very difficult. Concluding be it said that the wintering of the lemon- and orange-plants in a deep trench for a period of 105 to 125 days mostly in complete darkness did not cause

Card 2/3

Variation of Pigment Content and Composition of the Pigments in the Foliage of Lemon- and Orange Plants, as Connected with Trench Cultivation

20-3-45/52

any essential change in the coloring of the foliage. The analysis of the pigment compositions showed a decline of the chlorophyll and an increase of the carotin content. At the same time a loss of carbon caused by the respiration occurred with the plants wintering in a trench. There are 4 tables, and 16 references, 16 of which are Slavic.

ASSOCIATION: Botanical Institute, AN Georgian SSR

(Institut botaniki Akademii nauk GruzSSR)

PRESENTED:

June 28, 1957, by A. L. Kursanov, Academician


SUBMITTED:


January 15, 1957

AVAILABLE:

Library of Congress

Card 3/3





CHRELASHVILI, M.N.

Effect of ultraviolet rays on the stability of chlorophyll. Vest. Bot. ob-va Gruz. SSR. no.1:71-82 '62. (MIRA 17:1)

CHRELASHVILI, M.N.

Seasonal changes of photosynthesis and respiration in some evergreens. Trudy Tbil. bot. inst. 22:247-262 *62. (MIRA 17:2)

CHRENKA, A., inz.; MINARSKY, E., inz.

A new magnetron ionization gauge for the measurement of ultrahigh vacua. Slaboproudy obzor 22 no.12:764-765 D '61.

(Electronic measurement) (Vacuum)

Z/042/62/000/002/002/002 E140/E482

AUTHORS:

Chrenka, A., Nepraš, I.


TITLE :

Measurements at 2 mm

PERIODICAL: Elektrotechnický časopis, no.2, 1962, 124-127

TEXT: This is a continuation of an article by one of the present authors, I. Nepras, published in Elektrotechnický časopis, no.10, 1961, 651-654. The note describes the differences in circuit for measurements at 2 mm compared with cm systems. The measurements described here are based on assumed reciprocity of the measured elements. Three basic measurements are described: the attenuation of waveguide elements, of unknown impedances and of absorption spectra. Two oscillograms are presented for this last, indicating a resolution of the order of 0.01 Gcs. There are 4 figures and 3 non-Soviet-bloc references. The reference to an English language publication reads as follows: Ref.3: Gordy W., Smith W.V., Trambarulo R.F. Microwave spectroscopy, 1957.

Card 1/1



Z/038/62/000/008/007/007 D407/D301

AUTHOR:

Chrenka, A. and Vaněk, O.

TITLE:

New technology for preparing ceramic-fuel elements

PERIODICAL:

Jaderná energie, no. 8, 1962. 295-296

TEXT: This is an abstract of a paper by Manfred Becker, originally published in the periodical 'Atom und Strom' (1962), no. 2, pp. 9-13. Efforts to eliminate certain disadvantages inherent to metallic uranium led to the development of fuel elements based on UO₂ and UC. The first can be used in pressurized-water reactors, the latter has a higher concentration of fissionable material and a higher thermal conductivity and will, therefore, preferably be used in gas, sodium, or organic cooled reactors. A very suitable technology to produce UO₂ fuel elements is cold swaging of sintered UO₂ powder filled into a thin-walled austenitic-steel tube. The most modern method to prepare sintered UO₂ powder is atomic fusing: UO₂ powder is spread on a rotating, water-cooled copper disc and then fused by recombination of hydrogen atoms. The hydrogen dissociates Card 1/2

Z/038/62/000/008/007/007 D407/D301

New technology ...

in an electric are between two tungsten electrodes. The fused UU2 is then removed from the disc and ground to the desired size. Uranium carbide can be prepared from UO_2 castings in a reaction with graphite powder at 1,700°C in high vacuum. The obtained sintered-out material is fused in an electric arc (2,500-2,400°C)and then cast into the desired shape. The nuclear reactor, under construction in Jülich (GFR) will use ball-shaped ceramic-fuel elements. There are 2 figures.

Card 2/2


CHRENKA, A., inz.

Upper atmosphere and cosmic space and their importance for vacuum technology. Sdel tech 9 no.8:310-311 Ag 161.

HULENYI, L.; CHRENKA. A.


Low-heat cathodes for television. Sdel tech 9 no.10:388-389

46



CHRENKA, A., inz.; VANEK, O., inz.

Automation of vacuum processes by a new viscous vacuum gauge. Aitomatizace 5 nc 6:172-173. Je 162.



CHRENKA, A.; VANEK, O.


A new linear electron accelerator. El tech cas 13 no.5:318-319

CHRENKA, A.; VANEK, O.

Voltage limiters for protection of apparatus from overloading. Elektrotechnik 17 no.9:271 S !62.

CHRENKA, Anton, ins.


"Radio set with moving wave tubes" by M.A. Trosanov [Troshanov, N.A.]. Reviewed by Anton Chrenka. Sdel tech 10 no.12:480 D 162.




CHRENKA, A., inz.; VANEK, O., inz.

Superconductive electromagnet with continuous current. El tech obzor 51 no.10:545 0 '62.

1. Katedra radiotechnologie, Slovenska vysoka skola technicka.





CHRENKA, A.; VANEK, O.

"Oscillation stabilization of microwave generators" by S.I.Byckov [Bychkov, S.I.], N.I.Burenin and R.T.Saforov. Reviewed by A.Chrenka and O.Vanek. Slaboproudy obsor 24 no.2:Suppl.:Litertura 24 no.2:Ll3, Ll5 '63.

2/042/65/000/002/004/004 E192/2382

AUTHORS:

Chrenka, A. and Vanek, O.

TITLE:

Investigation of oxide cathodes by the radioactive

tracer method

PERIODICAL:

Elektrotechnický časopis, no. 2, 1963, 102 - 105

The life of oxide cathodes is dependent on the evaporation of alkaline earths from their surface. Determination of the rate of evaporation of the emissive substance during the activation process itself is therefore of great importance. This

can be measured by using C isotope, which is contained in the coating material (55% BaCO₃ + 45% SrCO₃) in the form of a small quantity of radioactive

The experimental cathodes were prepared by spraying the coating substance onto a tube, 5 mm in diameter, the thickness of the layer being 70 - 100µ. The cathode was inserted into an envelope made of Nonex glass which was provided with a nickel disc anode, 35 mm in diameter and 0.2 mm thick. The anode disc was divided into eight equal segments.

temperature of the cathode was measured by means of a nickel-Card 1/2

Investigation of ...

Z/042/63/000/002/004/004 E192/E382


molybdenum thermocouple. The composition of the carbonates of the cathode was measured over a period of 2 hours at temperatures up to 1 000 °C. The second type of investigation was concerned with the evaporation of barium from the cathode during decomposition of the carbonates. For this purpose radioactive Ba CO3 was added


to the emissive material. It was found from the measurement that evaporation of the carbonates and other carbon compounds such as CO and CO₂ commenced at about 200 °C. The evaporation rate

remained practically constant up to 600 $^{\circ}$ C. Above that temperature violent decomposition of the carbonates took place and CO $_2$

was produced. A maximum was reached at about 800 °C and then rapid decay was observed. As regards the measurements with Ba 131, it was found that during the forming of the cathode the carbonates were evaporated first. The maximum activity of the cathode corresponded to the evaporation of barium; this occurred between 550 and 650 °C. There are 3 figures.


Card 2/2







CHRENKA, A.

"Microweive measurement and measuring instruments" by Gy. Almassy. Reviewed by A. Chrenka. El tech cas 14 no.2:108-109 163.









CHRENKA, A.; VANEK, O.


"Dictionary of electronics and waveguides in seven languages" and "Dictionary of television, radiolocation and antennas in seven languages" by B.G. Bargin and A.S. Bucinskij [Buchinskiy, A.S.]. Reviewed by A. Chrenka and O. Vanek. Slaboproudy obzor 24 no.3:Suppl: Literatura 24 no.3:L21 '63.

CHRENKA, A.; VANEK, O.

"Microwave electron tubes" by S.V. Kukarin. Reviewed by A. Chrenka, O. Vanek. Slaboproudy obzor:Suppl.: Literatura 24 no.4:127 63.








CHRENKA, Anton, inz.

Effect of the outer magnetic field on the operation of cesium thermoelectric converters. El tech obzor 52 no.6:312 Je º63.

CHRENKA, A. inz.


Seigntific conference of the Faculty of Electronics of the Higher School of Technology in Bratislava. Sdel tech 12 no.2: 62 F*64



CHRENKA, Anton, inz.

From the world of microwaves. Sdel tech 12 no. 3:112-113 Mr $^{1}64.$

Five hundred publications of the Soviet Popular Library of Radio. Ibid.:119-120.



CHALNKA, Anton, inz.


Information on new technical periodicals. Slaboproudy obzor 25 no.1:61-62 Ja'64.

Another international conference on microwave electronics. Ibid.:62

Microwave plasma detector. Sdel tech 12 no. 6:227-228 is 162.

New publications of the Moscow Publishing House Sviaz. Itii.:239-240

	The second of th	en de la companya de La companya de la co	· · · · · · · · ·	+-, −= 2,7−=	•	٠،
	NONFEL AP4142	2906	•	.: -		/= > 7 :
		toria Eriginia e				_
1 PE:	Plasma direct		r used in п	icrowane t	echnolog	y
	: Sdelovaci te					
	יוני די	ve tedhnolom				
	TO: A microway	(e directions)	1. mg : 95	* .		
		on in the contract of the cont				
	:3					
Card 1	'a					




CHRARKA, Anton, inz.

Advances in the field of plasma generators. Slaboproudy obser 25 no. 5:307 My '64.

CHRENKA, Anton, inz.


The institute of Electrical and Electronic Engineers in the United States announced a new publishing program. El tech obzer 53 no. 68349 Je 164.



CHRENKA, Anton

Measurement of substance dielectric properties on the 3 cm band by the new method of fixed probe. El tech cas ló no.4: 244-246 '65.

"Lasers (quantum light generators)" by Karel Patek. Reviewed by Anton Chrenka. Ibid.:251-252



CHRENKO, Simon, inz.


Industrial monoblock constructions. Tech praca 14 no.12:955-959 D '62.

1. Chemoprojekt, Bratislava.

CHRENUKH, A.M.

Sequelae of experimental neuritis of the vagus nerve. Trudy Inst. norm. i pat. fiziol. AMN SSSR no.1:180-195 158 (MIRA 16:12)

1. Iz laboratorii eksperimental'noy terapii (zav. - doktor med. nauk A.M.Chernukh) Instituta noramal'noy i patologicheskoy fiziologii AMN SSSR.



GHRILOV, M.F., glavnyy inshener slushby puti.

Organisation of track tie repair on the October Railway. Put' 1
put. khos. no.5:32-33 My '57. (MIRA 10t6)
(Railroads--Ties)

L 34483-66

ACC NR: AP6026286

SOURCE CODE: BU/0011/65/018/006/0513/0516

AUTHOR: Christchev, G.

ORG: Research Institute for the Extraction and Enrichment of Minerals

TITLE: Horizontal constraints in rocks

SOURCE: BAN. Doklady, v. 18, no. 6, 1965, 513-516

TOPIC TAGS: mineralogy, mining engineering, petrology

ABSTRACT:

Horizontal constraints represent one of the main problems confronting mining engineers drilling vertical wells. Existing constraint formulas by A. N. Dinika, P. M. Tsimbarevitch, and Protodiakonov on reference given in use in Bulgaria do not reflect the structural peculiarities of rock masses which affect to a considerable degree the pressure within rocks, particularly in metalliferous beds. Consequently, the author establishes relationships between the horizontal constraints and the displacement angles utilizing a scheme suggested back in 1776 by Coulomb for the design of supporting walls. This paper was presented by Academician C. Christov on 22 Jan 1965. Orig. art. has: 7 formulas and 2 figures. [JPRS: 32,859]

SUB CODE: O8 / SUBM DATE: 22Jan65 / ORIG REF: OO1 / SOV REF: OO4

Card 1/1 90

CHRISTEA, Alexandru

Ventilation of heat-evolving equipment. Metalurgia constr mas 13 no.12:1094-1100 N '61.

RUMANIA

NICOLAU, Cl., Conf. Dr.; MAURESAN, V.; CHRISTEA, Al.; NICOLAU, Elena; MIU, C., Lieutenant-Colonel, Pharmacist; VOICU, V., Lieutenant-Major, Medical Corps; and STROESCU, Eugenia

"Correlation Between Changes in Structure and Changes in Pharmacodynamic Activity of Acetylcholine and Some Derivatives of Irradiated Compounds"

Bucharest, Revista Sanitara Militara, Vol 16, Special No., 1965; p 498

Abstract: X-irradiation with 10⁵, 2x10⁵, 5x10⁵ r of acetylcholine, acetylcholine iodide, benzensulfonate and paratoluene-sulfonate of acetylcholine; paramagnetic resonance spectral calculation of density of labile electrons were correlated with nicotinic effect changes.

1/1

- 63 -

tive afferentation influences segmental tonic spasms which at a later stage are accompanied by contralateral akinesis. 6 Figures, 16 Western, 8 Czech, 1 Russian reference.

RUMANIA

NICOLAU, Cl., Conf. Dr., TOMAS, E.; OLINESCU, R.; CHRISTEA, Al., CONSTANTINESCU, Rodica; and STROESCU, Eugenia

"Activity of 2-Methyl-1, 4-Maphthoquinone Sodium Bisulfite(Vitamin K3) on Some Redox Enzymes"

Bucharest, Revista Sanitara Militara, Vol 16, Special No., 1965; pp 389-393

Abstract: In vitro studies to pinpoint mode of radiosensitizing effect of Vitamin K3 in study with ceruloplasmin, catalase, peroxidase, d-amino-acidoxidases. Results indicate that K3 vitamin has profound effect inhibiting or potentiating the enzymatic activities depending on its concentration. This is probably the mode of action of Vitamin K3 as radiosensitizer.

1/1

- 78 -

CHRISTESCU, R.

On the H. Nakano individual ergodic theorems. p. 23.

ANALELE SERIA STINTELOR NATURII. Bucuresti, Humania. Vol. 7, no. 20, 1958.

Monthly List of East European Accessions (EEAI), DC, Vol. 8, no. 9, Sept. 1959. Uncl.

CHRISTIAN, A.; BUSNITA, T.

Different kinds of crucian carp $\frac{C_{arassius\ auratus\ gibelio}}{C_{arassius\ auratus\ gibelio}}$ (Bloch) in Rumanian waters, and the factors causing their varieties. In Russian c. 129.

REVUE DE BICLOGIE. Journal of Biology (Academia Republicii Populare Romine)
Bucuresti, Rumania
Vol. 4, no. 1, 1959

Monthly list of Eastern European Accession Index (EEAI) LC Vol. 8, No. 11 November 1959 Uncl.

H-13d

ERMENEGILDO Christofoli, 1:

HUNGARY / Chemical Technology, Chemical Products and Their

Application. Part 2. - Ceramics, Glass, Binders, Concretes. - Binders, Concretes and Other Silicate

Building Materials.

Abs Jour : Ref. Zhur. Khimiya, No 4, 1958, 12134.

Author : Ermenegildo Christofoli.

Inst : Not given

Title : Concrete Testing without Destruction.

Orig Pub: Melyepitestud. szemle, 1957, 7, No 1-3, 65 - 69.

Abstract: The method is based on the dependence between the concrete hardness and its strength at compression. The test

consist in an impact of a steel ball F-10 mm on the concrete surface. Tables showing the dependence between the diameters of the ball marks (remaining after an impact) and

Card 1/2

Card 2/2

APPROVED TOKKE EGAS ET LOTE TELEVISION WAS RELIGIOUS EN RUUUS OF DESIGNATION OF THE PROPERTY O

POLAND

CHRISTMAN, Ryszard, First Clinic of Internal Diseases (I KIInika Chorob Wewnetranych), Pomeranian Medical Academy (Pomorska Akademia Medyczna) in Szczecin (Director: Prof. Dr. med. F. BOLECHOWSKI)

"Case of Subarachnoidal Hasmorrhage With Unusual ECG."

Warsaw, Polski Tygodnik Lekarski, Vol 17, No 47, 19 Nov 62, pp 1837-1839.

Abstract: [Author's English summary] A hypertonic female patient in whom subarachnoidal haemorrhage occured is reported. ECG tracings revealed enormous conglomerated TU wares. The literature is cited, and causes for the ECG changes are suggested. There are seven (7) references, of which two (2) are Polish, two (2) English, and three (3) German.

1/1

KLEDECKI, Z.; CHRISTMAN, R.

A case of Morgagni-Adams-Stokes syndrome with a mixed mechanism of seizures. Kardiol. pol. 5 no.3:223-226 '62.

1. Z I Kliniki Chorob Wewnetrznych PAM w Szeczecinie Kierownik: prof. dr med. F. Bolechowski.

(HEART BLOCK)

CHRISTMAN, Ryszard

A case of subarachnoid hemorrhage with an unusual electrocardiographic picture. Pol. tyg. lek. 17 no.47:1837-1839 19 0 '62.

1. Z % Kliniki Chorob Wewnetrznych Pom. AM w Szczecinie; kierownik: prof. dr med. F. Bolechowski.

(SUBARACHNOID HEMORRHAGE) (ELECTROCARDIOGRAPHY)

Ploop in vectorcardiography with an esophageal electrode.
Pol. arch. med. wewnet. 34 no.7:853-856 '64.

1. I Klinika Chorob Wewnetrznych Pomorskej Akademii Medycznej (Kierownik: doc. dr. med. K. Gregorczyk).

CHRISTOV, D. [Khristov, D.]; KARAIVANOV, S.; NENOV, N.

Application of the reaction between acetyl chloride and ethanol in the presence of metal or metal oxide as a preparation method for some anhydrous metal chlorides. Doklady BAN 17 no.3:263-266 164.

1. Chair of Organic Chemical Technology, University of Sofia, Sofia. Vorgelegt von A.Spassov [Spasov, A.], kcrr. Mitglied der A kademie.

CHRISTMAN, Ryszard


Electrocardiographic picture in rabbits inder deep hypothermia with special reference to extinctive currents. Roczn. pom. akad. med. Swierczewski 11:411-428 '65.

1. Z I Kliniki Chorob Wewnetrznych Pomorskiej Akademii Medycznej (Kierownik: Doc. dr. med. Karol Gregorczyk).

"APPROVED FOR RELEASE: 06/12/2000

CIA-RDP86-00513R000509010015-0

ACC NR: AP6010175 SOURCE CODE: EU/OO11/65/018/008/0739/0741 AUTHOR: Christov, D.; Dimov, D. ORG: Physics Faculty, Sofia University; Tire Factory "Georgi Dimitrov". Sofia TITLE: Lead halogenide acceleration of resin-vulcanizing of butyl rubber 1/21 SOURCE: Bulgarska akademiya na naukite. Doklady, v. 18, no. 8, 1965, 739-741 TOPIC TAGS: metal compound, chloride, butyl rubber, alkylphenol, formaldehyde, resin, vulcanization, solid mechanical property, lead compound Among the previously investigated metal chlorides, stannous chloride proved to be the most active accelerator of the butyl rubber vulcanization with alkylphenolformaldehyde resins. However, in practice, the use of SnCl2.2H2O and of other metal chlorides (crystalline hydrates) encounters considerable difficulties due primarily to the strong associated corrosion of the mixers and vulcanization molds (see Compt. rend. Aced. bulg. Sci., 16, 1963, No 6, 613). Consequently, it became important to test the acceleration properties of those metal halogenides which do not form crystalline hydrates under normal conditions and are thus not hygroscopic. Tests were carried out on PbF2, PbCl2, PbBr2, and PbI2 in fine crystal form. The rubber composition was given earlier in the above mentioned reference. Comprehensive (generally favorable) results cover the Shore hardness A, module Card 1/2



CHRISTOV, G.

Volutin and the nuclear mass of microorganisms under the influence of penicillin and sulfathiazole. Dokl. Bolg. akad. nauk 15 no.1:97-100 62.

1. Note presentee par W1. Markov. membre de 1ºAcademie.

(PENICILLIN pharmacol)

(SULFATHIAZOLES pharmacol)

(NEISSERIA pharmacol)

(KLEBSIELLA pharmacol)

(NUCLEOPROTEINS) (CELL NUCLEUS)

CHRISTOV, G.; TODOROV, D.; IKONOPISSOV, R.

Antibacterial properties at the level of the serum proteins and leukocyte formula in subjects with melanoma or other types of cancer. Dokl. Bolg. akad. nauk 17 no.9:869-872 164.

1. Note presentee par A. Tochkov.

CHRISTOV, G. [Khristov,G.]; TODOROV, D.; IKCKOrISBOV, R. [Ikonopisov, A.]

Antibacterial properties and the level of serum proteins and leukocytic formula in subjects stricken by melanoma or other forms of cancer. Doklady BAN 17 no.9:869-872 '64.

1. Institute of Oncologic Research. Submitted June 25, 1964.

CHRISTOV, G. [Khristov, G.]

Rose water in the treatment of amphodontosis and gingivitis. Doklady BAN 17 no.12:1125-1128 '64.

1. Institute of Oncologic Research, Sofia-Durvenitsa. Submitted July 27, 1964.

CHRISTOV, G.

Influence of ionizing radiations on the normal volutin and the volutin induced by sulfonamides in certain bacteria. Dokl. Bolg. akad. nauk 18 no.2:169-172 '65

1. Submitted on .October.2, 1964.

CHRISTOV, G.

Oncolytic infections. Dokl. Bolg. akad. nauk 18 no.32 265-405 165

1. Submitted on October 14, 1964.

of volutin in certain bacteria,

ACC NR. AP5028780

SOURCE CODE: BU/0011/65/018/002/0169/0172

AUTHOR: Christov, G.

ORG: Institute of Oncologic Research, Sofia-Darvenitsa (Institut de Recherches oncologiques)

TITLE: Influence of ionizing radiation on the normal or sulfamide-induced inclusion

SOURCE: Bulgarska akademiya na naukite, v. 18, no. 2, 1965, 169-172

TOPIC TAGS: bacteria, bacteriology, ionizing radiation, radiation biologic effect

AESTRACT: During earlier investigations the author observed an inclusion of volutin in certain bacteria of the mouth under the influence of antibiotics and of sulfathiazole (see, e.g. Compt. Rend. Acad. bulg. Sci., 14, 1961, No 3, 307). The volutin included by induction seemed to have the same properties as normal volutin. The present paper investigated possible morphologic differences between the two types of volutin with respect to ionizing radiation. After describing the experimental procedures the author presents the results which show that even with doses of up to 100,000 R the two alleged types of volutin exhibit identical behavior. The work was presented by B. Boitchev, 2 Oct 64. Orig. art. has: 4 figures.

SUB CODE: LS, ND / SUBM DATE: 020ct64 / ORIG REF: 004 / OTH REF: 003 SOV REF: 002 Cord 1/1, 2

CHRELASHVILI N.B.

Turning point in the mental development of children. Soob.ANGruz.SSR 19 no.1:113-120 J1 '57. (MIRA 10:12)

1. AN GruzSSR, Institut psikhologii im. D.N.Uznadze, Tbilisi.
Predstavleno akademikom A.T.Bochorishvili.
(Child study)


CHRETASHVILI, N.V.

Critical moment in the psychic development of the child [with summary in English]. Vop.psikhol. 4 no.4:109-115 J1-Ag 58.

(MIRA 11:11)

1. Institut psikhologii im. D.N.Uznedze AN GruzSSR, Tbilisi.

(Child study)



CHRELASHVILI, N.V.

Psychological mechanism of mastering speech in ontogenesis.
Trudy Inst.psikhol.AN Gruz.SSR 13:101-116 62. (MIRA 16:2)
(Speech)